Depth of P systems with active membranes and their computational complexity

Antonio E. Porreca & Milano Team Università degli Studi di Milano-Bicocca, Italy

#### Membrane division and Boolean formulae



polynomial depth = **PSPACE** 

What about constant depth?

### Counting machines and **PP**



### The counting hierarchy CH



### $\bigcirc$ = **P**





## $\supseteq \mathbf{P}^{\mathbf{P}\mathbf{P}^{\mathbf{P}\mathbf{P}}}$



# ⊇ **P**<sup>PP<sup>PP</sup></sup>



Do the reverse inclusions hold?

# Do the reverse inclusions hold?

### They do indeed!\*

\* Technical details still to be checked. Drink responsibly.

### $\bigcirc$ = **P**





## $\subseteq \mathbf{P}^{\mathbf{PP}}$



# $\subseteq \mathbf{P}^{\mathbf{PP}^{\mathbf{PP}^{\mathbf{PP}}}$



### Also: a corollary for tissue P systems



#### Also: a corollary for tissue P systems



No **PSPACE** here (unless  $P^{PP} = PSPACE$ )

### Coming next: unidirectional communication



### Coming next: unidirectional communication



#### Coming next: unidirectional communication



Conjecture: **P**<sup>NP</sup> instead of **PSPACE** 

Thanks for your attention! iGracias por su atención!